

mkdir(): Permission denied


PHP settings	Value	Result
PHP version	7.3.29-1-deb10u1	OK
timezone settings	Europe/Amsterdam	OK
Open base dir		OK
Allow url open	1	OK
Memory limit	128M	OK

PHP extension	Result	
curl	OK	
DOM	NOT OK	
gettext	OK	
mbstring	NOT OK	
json	OK	
xml	NOT OK	
zip	NOT OK (You need this module to select multiple NZB files)	
zlib	OK	
Database support	OK	
MySQL (PDO)	OK	
PostgreSQL (PDO)	NOT OK	
SQLite (PDO)	NOT OK	
GD	OK	
FreeType Support	OK	
GIF Read Support	OK	
GIF Create Support	OK	
JPEG Support	OK	
PNG Support	OK	
OpenSSL		
At least 1 of these must be OK these modules are sorted from fastest to slowest	openssl	OK
	gmp	OK
	bcmath	NOT OK
Can create private key?	OK	
Cache directory		
Cache directory is writable?	NOT OK	
Include files	Result	
Settings file	OK (/var/www/html/spotweb)	

Database settings

Spotweb needs an available MySQL or PostgreSQL database. The spotweb database and spotweb user will be created if needed. In that case, you need to fill the root password for the connection.

type	MySQL ▾
server	localhost
port	3306
Root password to create spotweb database/user Leave blank if database and user are already created.	
MySQL database:	spotweb
Database user name:	spotweb
Database user password:	raspberry



```
root@raspberrypi:/home/pi# netstat -vlnpt |grep -i mysql
tcp        0      0 0.0.0.0:*                LISTEN(0)  1832/mysql
```

```
root@raspberrypi:/home/pi# lsof -i :3306
COMMAND PID USER
FD TYPE DEVICE SIZE/OFF NODE NAME
mysqld 1832 mysql 21u IPv4 28786 0t0 TCP localhost:mysql (LISTEN)
```

```
root@raspberrypi:/home/pi# mysql -u root -p spotweb
```

Enter password: **(leeg)**

```
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 50
Server version: 10.3.29-MariaDB-0+deb10u1 Raspbian 10
```

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [spotweb]>

MariaDB [spotweb]> show grants;

```
+-----+
| Grants for root@localhost          |
+-----+
| GRANT ALL PRIVILEGES ON *.* TO `root`@`localhost` WITH GRANT OPTION |
| GRANT PROXY ON ''@%' TO 'root'@'localhost' WITH GRANT OPTION      |
+-----+
2 rows in set (0.000 sec)
```